Synteko DOMO - Version 2 Page 1 of 9

SAFETY DATA SHEET

Synteko DOMO

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 29.06.2021

 Revision date
 20.08.2021

1.1. Product identifier

Product name Synteko DOMO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / preparation Oil treatment of wooden floors.

1.3. Details of the supplier of the safety data sheet

Company name	Synteko AB
Postal address	Olof Wijksväg 9
Postcode	SE-444 65
City	Jörlanda
Country	Sverige
Telephone number	0046 303-563 30
Fax	0046 303-563 32
Email	info@synteko.com
Website	http://www.synteko.com
Contact person	Jörgen Kaldemark

1.4. Emergency telephone number

Emergency telephone Telephone number: 1-800-424-9300

Description: In case of medical emergency call

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.2. Label elements

Synteko DOMO - Version 2 Page 2 of 9

Composition on the label n-Paraffin C5-20 10 - 20 %

2.3. Other hazards

Other hazards When spray applying see section 8.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
n-Paraffin C5-20	CAS No.: 64771-72-8	Asp. tox 1; H304	10 - 20 %	
	EC No.: 265-233-4	EUH 066		
	REACH Reg. No.:			
	02-2119675247-30-0000)		

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. if breathing is irregular or stopped, use artificial respiration. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice. Get medical advice/attention.
Skin contact	Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash with plenty of soap and water. Do NOT use solvents or thinners. Wash skin thoroughly with soap and water.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
Ingestion	Do NOT induce vomiting. Risk of aspiration or chemical pneumonia. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Recommended extinguishing media : alcohol resistant foam, CO2, powders,
	water spray. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	Fire will produce dense black smoke. Decomposition products can be hazardous.
	At high temperatures create: Carbon monoxide (CO), carbon dioxide (CO2),
	smoke, nitrogen gases (NOx).

Synteko DOMO - Version 2 Page 3 of 9

5.3. Advice for firefighters

Personal protective equipment	Wear respiratory protection.
Other information	Eliminate all ignition sources if safe to do so. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures In case of inadequate ventilation wear respiratory protection. Wear fir	c / 0
resistant / retardant clothing. Use personal protective equipment as r Wear cold insulating gloves / face shield / eye protection. Wear prote / protective clothing / eye protection / face protection. Avoid breathin fume / gas / mist / vapours / spray. If breathing is difficult, remove vic air and keep at rest in a position comfortable for breathing. Get medic	as required. protective gloves athing dust / we victim to fresh

6.2. Environmental precautions

Environmental precautionary	Collect spillage. Avoid release to the environment. If the product contaminates
measures	lakes, rivers or sewers, inform appropriate authorities in accordance with local
	regulations.

6.3. Methods and material for containment and cleaning up

Containment	Keep away from sources of ignition Store in a well-ventilated place.
Clean up	Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Vapours may form explosive mixtures with air. Avoid spilling, skin- and eye
	contact. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid
	breathing dust.

Protective safety measures

Protective safety measures	Smoking, eating and drinking is forbidden in application area. Remove contaminated clothing and protective gear before you get to an area where meals are taken.
Safety measures to prevent fire	Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.

Synteko DOMO - Version 2 Page 4 of 9

In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.

Preparation may charge electrostatically: always use earthing leads when transferring from one container to another. Use only non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage	Store in accordance with applicable regulations for good chemical practice. Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store in a dry place. Tillse att gällande arbetsmiljölagstiftning följs.
Conditions to avoid	Keep away from heat / sparks / open flames / hot surfaces. — No smoking. Protect from sunlight. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. Prevent unauthorized access.

Conditions for safe storage

Storage temperature Value: 5 – 25 Celsius

7.3. Specific end use(s)

Recommendations Do not handle until all safety precautions have been read and understood.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
n-Paraffin C5-20	CAS No.: 64771-72-8	Limit value (8 h): 350 mg/ m3 Limit value (short term) Value: 500 mg/m3	

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls	Use with adequate ventilation. If possible this should be achieved by local
	extraction and good exhaust ventilation. If these are not sufficient to maintain
	concentrations of particulates and solvent vapors below the OEL, suitable
	respiratory equipment.

Eye / face protection

Suitable eye protection	Wear cold insulating gloves / face shield / eye protection.
-------------------------	-------------------------------------------------------------

Hand protection

Skin- / hand protection, short term	Wear cold insulating gloves / face shield / eye protection.
contact	
Skin- / hand protection, long term	For prolonged or repeated contact use gloves made of neoprene (1-4h) or nitrile
contact	(>4h).

Synteko DOMO - Version 2 Page 5 of 9

Suitable materials

Barrier creams may help to protect the skin, but they should however not be used once exposure has occurred.

Skin protection

Skin protection remark Wear fire / flame resistant / retardant clothing.

Respiratory protection

Additional respiratory protection measures

In case of inadequate ventilation wear respiratory protection.

Appropriate environmental exposure control

Safety measures for consumer use of the chemical

Read label before use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Odour	As Solvent.
Odour limit	Comments: Not applicable.
рН	Status: In delivery state Comments: Not applicable.
	Status: In aqueous solution Comments: Not applicable.
Melting point / melting range	Comments: Not applicable
Boiling point / boiling range	Comments: Not applicable.
Flash point	Value: 65 °C
Evaporation rate	Comments: Not determined.
Flammability	Not determined
Lower explosion limit with unit of measurement	Value: 0,6
Upper explosion limit with units of measurement	Value: 6,5
Explosion limit	Comments: Not determined.
Vapour pressure	Comments: Not determined.
Vapour density	Comments: Not determined.
Relative density	Value: 0,9 g/ml Method: ASTM 6450 Temperature: 23 °C
Partition coefficient: n-octanol/ water	Comments: Not applicable.
Viscosity	Value: > 20,5 mm2/s Temperature: 40 °C

Synteko DOMO - Version 2 Page 6 of 9

Explosive properties	Not determined.
Oxidising properties	Not applicable.

9.2. Other information

Physical hazards

Content of VOC Value: 171 g/l

Comments: Initial boiling point less than or equal to 250°C.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reactive.

10.2. Chemical stability

Stability	Stable under recommended storage and handling conditions (see section 7). Risk
	of self-ignition in porous materials such as such as insulation, cloths, etc.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No dangerous if handled according to Technical Information.

10.4. Conditions to avoid

Conditions to avoid No applicable.

10.5. Incompatible materials

Materials to avoid	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in
	order to avoid exothermic reaction.

10.6. Hazardous decomposition products

Hazardous decomposition	When exposed to high temperature may produce hazardous decomposition
products	products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Other information regarding health hazards

Skin corrosion / irritation, other information	No information available.
Eye damage or irritation other information	If splashed in the eyes, the liquid may cause irritation and reversible damage.
General respiratory or skin sensitisation	Prolonged or repeated contact may defat the skin, resulting in non-allergic contact eczema and absorption through the skin.
Inhalation	Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous

Synteko DOMO - Version 2 Page 7 of 9

	membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system.
Skin contact	Prolonged or repeated skin contact may cause irritation, dry skin, cracked skin and possibly eczema.
Eye contact	May cause irritation in eyes.
Ingestion	Pneumonia may occur if the product by swallowing or vomiting is drawn into the respiratory tract. Ingestion may cause nausea and vomiting.
Germ cell mutagenicity, human experience	No information available.
Carcinogenicity human experience	No information is available.
Reproductive toxicity	No information available.
Aspiration hazard, comments	When applying see section 8.

11.2 Other information

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability	Not determined.
description/evaluation	

12.3. Bioaccumulative potential

12.4. Mobility in soil

Mobility Not determined.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB	Not classified as PBT / vPvB of current EU criteria.
assessment	

12.6. Endocrine disrupting properties

12.7. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Avoid release to the environment. Collect spillage. Wastes and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.
EWC waste code	EWC waste code: 080111 waste paint and varnish containing organic solvents or other dangerous substances Classified as hazardous waste: No

Synteko DOMO - Version 2 Page 8 of 9

SECTION 14: Transport information

14.1. UN number

Comments	Not dangerous goods.
	Transport in accordance with national law and ADR for road, RID for rail, IMDG for
	sea and ICAO / IATA for air. For complete information on transport, see transport
	document.

14.2. UN proper shipping name

ADR/RID/ADN	
IMDG	
ICAO/IATA	

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

|--|

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations	The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.
	Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 2.
	Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.
	Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 3. Safety data sheet is designed according to EU Commission Regulation No. 1907/2006.

15.2. Chemical safety assessment

Chemical safety assessment	No
performed	

Synteko DOMO - Version 2 Page 9 of 9

SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)

Version

Comments

EUH 066 Repeated exposure may cause skin dryness or cracking. H304 May be fatal if swallowed and enters airways.

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps

in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.